

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	("WANISH, PAUL" or "DEGILIO, FRANK")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 07:51
L2	3798	"INTERNATIONAL BUSINESS MACHINES, CORP"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 07:57
L3	59	I2 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:00
L4	36820	((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:21
L5	2027	I4 and ((decrypt\$3 or decod\$3 or decipher\$) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:21
L6	1733	I5 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:22
L7	55	I6 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:22
L8	452	713/184	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:21
L9	27	I8 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:23
L10	18	I9 and ((decrypt\$3 or decod\$3 or decipher\$) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:23

EAST Search History

L11	15	l10 and ((message\$1 or "data" or content\$1 or packet\$1) with ((("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:23
L12	3	l11 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:23
L13	954	713/165	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 08:22
L14	175	l13 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:04
L15	63	l14 and ((decrypt\$3 or decod\$3 or decipher\$3) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:05
L16	58	l15 and ((message\$1 or "data" or content\$1 or packet\$1) with ((("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:05
L17	11	l16 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:05
L22	588	713/166	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:04
L23	61	l22 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:08
L24	23	l23 and ((decrypt\$3 or decod\$3 or decipher\$3) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:08
L25	23	l24 and ((message\$1 or "data" or content\$1 or packet\$1) with ((("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:08

EAST Search History

L26	3	I25 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:08
L27	1531	380/277	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:07
L28	301	I27 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:09
L29	105	I28 and ((decrypt\$3 or decod\$3 or decipher\$3) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:09
L30	96	I29 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:09
L31	2	I30 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:09
L32	695	380/278	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:09
L33	125	I32 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:13
L34	43	I33 and ((decrypt\$3 or decod\$3 or decipher\$3) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:14
L35	40	I34 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:14
L36	0	I35 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:14

EAST Search History

L37	1047	713/171	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:13
L38	173	I37 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L39	84	I38 and ((decrypt\$3 or decod\$3 or decipher\$) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L40	78	I39 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L41	1	I40 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L42	1673	713/189	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L43	309	I42 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("portion" or "part" or "segment") with ("message" or "data" or "packet" or "content"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L44	112	I43 and ((decrypt\$3 or decod\$3 or decipher\$) with ((authenticat\$3 or author\$3 or validat\$3) with (message\$1 or "data" or content\$1 or packet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L45	106	I44 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:15
L46	7	I45 and (((("without" or "not" or "no") with (decrypt\$3 or decod\$3 or decipher\$3)) with ("data" adj ("portion" or "segment" or "part"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/05/03 09:16

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

decrypted authentication portion not data porti

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)

Patents

Patents 11 - 20 on **decrypted authentication portion not data portion**. (0.25 seconds)

Source authentication of download information in a conditional access system

US Pat. 6246767 - Filed Jan 20, 2000 - Scientific-Atlanta, Inc.

If the downloaded **data** is authentic and has **not** been corrupted in transit, ...
an IP 35 packet that contained an **authentication portion** as well as the **data**. ...

Electronic authentication method, electronic authentication apparatus and electronic ...

US Pat. 6954854 - Filed Jun 12, 2000 - Hitachi, Ltd.

... whether or **not** the encrypted **portion** of the electronic program 25 receives
the request for contents. Subsequently, message could be **decrypted** into **data** ...

Conditional access system

US Pat. 6510519 - Filed Jun 14, 2001 - Scientific-Atlanta, Inc.

Authentication of download **data** is done in the same fashion ... If the downloaded
data is authentic and has **not** been corrupted in transit, the **decrypted** ...

Authenticated time device

US Pat. 6442691 - Filed Feb 27, 1995

Thus the diary program object code 704 does **not** contain any **portion** of object code
... and the **decrypted data** is returned to the CPU 702 by the device 700. ...

Method and apparatus for authenticating a document

US Pat. 6111953 - Filed May 21, 1997 - Walker Digital, LLC

In this somewhat weaker version of the CRP, the recipient would **not** ... based on
the encrypted **authentication data** to produce **decrypted authentication data** ...

Method for reproducing information data from magneto-optical recording medium using linear ...

US Pat. 6584046 - Filed Apr 12, 2001 - Matsushita Electric Industrial Co., Ltd.

Write-once information that is stored in a pre-determined **portion** of the ...
main information is sent and **decrypted** only if the mutual **authentication** ...

Remote generated, device identifier key for use with a dual-key reflexive encryption security system

US Pat. 6044154 - Filed Sep 24, 1997 - Communications Devices, Inc.

If a password is **not** being used, the host **portion** of the system generates a
session key with a challenge **data** stream and having identified the permanent key ...

Secure authentication and authorization for transaction processing

US Pat. 6754825 - Filed Jun 30, 2000 - Palm Source, Inc.

Thus, when a user fails to enter the proper user identification **data** 904a, an
authentication error is generated (step 809). A second decryption step is then ...

Method of assisting execution of plural simulation programs for coupled simulation

US Pat. 5963731 - Filed Dec 24, 1996 - Hitachi, Ltd.


10 15 Only when the **authentication data** about the level at which computation can
be executed by the hardware available **portion** in the security process ...

Application # 10/716996

Method and apparatus for secure scan testing

US Pat. 7185249 - Filed Apr 30, 2002 - Freescale Semiconductor, Inc.

... and forward the **decrypted data** for storage in secure RAM 140. ... secure key 130 to an **authentication portion** (not illustrated) of processor 100. ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

decrypted authentication portion not data por

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google